



Sub: Request for Quotation for Supply of LED light fittings.

Dear Sir/Madam,

1. Enclosed herewith is the quotation format for supply of LED light fittings.
2. Clarification meeting in this regard, will be held on 03rd January, 2023 at 11.00 am in the Committee Room. Interested vendors may attend the meeting.
3. In case you are interested, please submit your competitive quotation as per the specification given in the enclosed form in a sealed envelope addressed to the Registrar, Institute for Social and Economic Change, Dr. V K R V Rao Road, Nagarabhavi Post, Bengaluru – 560 072 on or before 16th January, 2023, 5.00 p.m. The Envelope should be superscribed as QUOTATION FOR LED LIGHT FITTINGS.

Thanking you,

Yours sincerely,

Sd/-

(S. Ashok Rao)

Registrar

To be filled and submitted in this copy only

Date:

To

The Registrar
Institute for Social and Economic Change
Dr. V K R V Rao Road, Nagarabhavi Post,
Bengaluru – 560 072

Dear Sir,

Sub: Request for Quotation for Supply of LED light fittings.

Ref: ISEC/Regr./Estate/2022-23/668 dated 28.12.2022

The details of Bajaj make are given below:-

Sl No	Description of the item	Appx Qty	A/U	Rate (Rs)	Amount (Rs)						
1.	SKYLUX GX Surface mounted 1ft x 4ft commercial luminaries with CRCA housing suitable for open offices, hospitals and education institutions. <table border="1"> <tr> <td>Category Reference</td> <td>Wattage</td> <td>CCT</td> </tr> <tr> <td>BZSRSL 36L LED GX WH SD</td> <td>36W</td> <td>5700K</td> </tr> </table>	Category Reference	Wattage	CCT	BZSRSL 36L LED GX WH SD	36W	5700K	01	No		
Category Reference	Wattage	CCT									
BZSRSL 36L LED GX WH SD	36W	5700K									
2.	DAWN Extruded Aluminium LED batten (4ft) for surface and pendant applications. <table border="1"> <tr> <td>Category Reference</td> <td>Wattage</td> <td>CCT</td> </tr> <tr> <td>BCLAB 20W LED P</td> <td>20W</td> <td>6500K</td> </tr> </table>	Category Reference	Wattage	CCT	BCLAB 20W LED P	20W	6500K	01	No		
Category Reference	Wattage	CCT									
BCLAB 20W LED P	20W	6500K									
3.	SKYLUX SUFACE Surface mounted powder coated CRCA housing 2ft x 2ft luminaries providing uniform suitable for all kind of open applications. <table border="1"> <tr> <td>Category Reference</td> <td>Wattage</td> <td>CCT</td> </tr> <tr> <td>BZSSQL 36L LED WH GX</td> <td>36W</td> <td>5700K</td> </tr> </table>	Category Reference	Wattage	CCT	BZSSQL 36L LED WH GX	36W	5700K	01	No		
Category Reference	Wattage	CCT									
BZSSQL 36L LED WH GX	36W	5700K									
4.	SKYLUX GX Recess mounted 2ft x 2ft luminaries. Efficacy 100lm. Deep drawn CRCA housing with high efficiency. Isolated driver, Designed with low glare and comfortable experience through its classic design & glare free soft illumination. <table border="1"> <tr> <td>Category Reference</td> <td>Wattage</td> <td>CCT</td> </tr> <tr> <td>BZRSQL 36W LED GX WH</td> <td>36W</td> <td>5700K</td> </tr> </table>	Category Reference	Wattage	CCT	BZRSQL 36W LED GX WH	36W	5700K	01	No		
Category Reference	Wattage	CCT									
BZRSQL 36W LED GX WH	36W	5700K									
5.	GLINT RD Edge lit sleek round recess mounted LED down light with white powder coated die cast housing and diffuser for low glare illumination. <table border="1"> <tr> <td>Category Reference</td> <td>Wattage</td> <td>CCT</td> </tr> <tr> <td>BGSLO Sleek Recess RD 12W WH LED</td> <td>12W</td> <td>6500K</td> </tr> </table>	Category Reference	Wattage	CCT	BGSLO Sleek Recess RD 12W WH LED	12W	6500K	01	No		
Category Reference	Wattage	CCT									
BGSLO Sleek Recess RD 12W WH LED	12W	6500K									

Contd – page 2

6.	GLINT SQ Edge lit sleek square recess mounted LED down light with white powder coated die cast housing and diffuser for low glare illumination.	01	No				
	Category Reference					Wattage	CCT
	BGSLO Sleek Recess SQ 12W WH LED					12W	6500K
				Total	Rs		
				GST @	Rs		
				Any other Charges	Rs		
				Grand Total	Rs		

Note: The following are the quantities approximately required:-

Item Sl No	Qty (Appx)
1.	295 Nos
2.	70 Nos
3.	35 Nos
4.	40 Nos
5.	70 Nos
6.	55 Nos

Terms and Conditions

1. Items to be supplied at ISEC along with Warranty/guaranty to be provided as per company/manufacturer norms.
2. The fittings of Sl No 1 will be fitted by the Institute's electrician and our staff after opening the housing of the 1ft x 4 ft fitting to make hole to insert the existing MS conduit & check nut. The Vendor may take note of this and give warranty for the period specified from the date of supply.
3. Order will be given as per requirement basis. Minimum order shall be given for around Rs.50,000/- each time. Final order shall be the balance requirement as on that date.
4. No advance will be paid. Payment will be made within 7-10 days from the date of submitting the bill/invoice.
5. As a security deposit @5% of the total bill (each bill) shall be withheld while processing the bill and shall be released only after the warranty/guaranty period of that bill.
6. The above quoted rates will be valid for a period of 9 months after issuing of first purchase order.

Thanking you,

Yours faithfully,

(Authorized Signatory with Company name & seal)